

Fireplace Collection

Smart and manual
ethanol fireplaces

Product selection for distributors

2026.09



AI concept visual. Surround and furnishings are not included.

Product families

Compare the control family, then the form, dimensions and model configuration.

Family	Collection	Selection points
SXKT Smart	Adjustable flame Linear featured model	Flame adjustment and controls Dimensions and installation
SXRX Smart	Smart models Linear, square, round and shaped	Product form and finish Controls supplied with the model
SXRX Manual	Manual models Multiple covers and forms	Operating method and cover Dimensions and use conditions

Style codes identify the designs in this catalogue. Confirm the full product SKU, dimensions and configuration when ordering.

SXKT-001 / SXKT Smart

Adjustable flame · Controls, automation and monitoring



Available size · L × W × H (mm)

1200–2400 × 260 × 230

Controls

Touchscreen and remote
Chinese / English Android apps
Multiple-unit app control
Voice reminders and control lock

Automation and hardware

Automatic ignition and thermostat
Timed start and stop
Automatic filling and draining
Automatic small-door mechanism
Heat-resistant glass; factory-set size

Monitoring and alerts

Automatic fault diagnosis
Automatic leak alarm
Drain protection reminders
Operating-state monitoring
Room temperature indication
(for reference only)

Confirm functions and supplied configuration for the selected model.

SXRX-L-005 / RX-5

Featured linear model · Updated RX-5 functions; confirm for the selected model



Available size · L × W × H (mm)

500–2400 × 250 × 240

Standard / Monitoring

Multi-chip / board and liquid-level checks
Air temperature and system data monitoring
Room alarm: stops; reignites when normal
Panel overheat: stops; reignites near set point
Low-fuel, vibration and tilt shutdown
Voice alerts, self-diagnosis and child lock

Standard / Operation

High-energy igniter; fuel, injection, drain pumps
Auto filling; manual on/off and filling control
5–10 m remote on/off and linked start
110–220 V input / regulated 12 V supply
Length ≥1200 mm (including 1200): automatic draining and upper levelling bolts

Optional

CO₂ alarm protection: stops pump operation
Wi-Fi phone control
Automatic filling from an external fuel tank
Thermostatic operation (requires Wi-Fi)
External wiring for smart-home connection

Updated RX-5 functions do not describe every RX model. Confirm the supplied configuration with the order.

SXRX Smart forms

Square, round and corner forms for different design schemes.




SXRX-F-001

Square black panel



SXRX-Y-002

Round metal panel



SXRX-X-003

L-shaped corner

Images show product styles. Confirm dimensions, controls and installation requirements for the selected form.

SXRX Manual

Linear models and cover designs



SXRXS-FG-001

Linear model with hinged cover

Available dimensions (L × W × H):
400–1100 × 300 × 115 mm



SXRXS-WTG-001

Linear sliding cover



SXRXS-S-004

Silver finish with lift-off cover

SXRX Manual forms

Round burners, glass surrounds and a freestanding enclosure.



SXRXS-SY-011

Round silver finish



SXRXS-SY-008

Round with glass surround



SXRXS-SY-007

Circular freestanding enclosure

Installation suitability depends on the selected model. Follow the product instructions for actual use.

Black Rectangular Manual Fireplace

SXRX Manual / SXRXS-S-005



Design

Black metal surround with a silver stainless-steel linear burner.

Operation

Manual operation with bioethanol fuel.

Burner reference size · mm

500–2000 × 180 × 105
(L × W × H)

Complete assembly

Enclosure length reference: burner length + 500 mm. Confirm finished width, height and configuration.

[View product details ↗](#)

Listed dimensions refer to the burner only, not the complete fireplace or installation opening.

Black-Framed Built-In Manual Fireplace

SXRX Manual / Recessed enclosure and frame



Design

Black rectangular frame and recessed enclosure with a silver linear burner.

Front glass guard

Front glass panel; confirm its specification with the selected configuration.

Operation

Manual bioethanol fireplace. Confirm the burner configuration for the project.

Installation and dimensions

Confirm the outside frame, visible opening, enclosure depth and construction opening together.

[View product details ↗](#)

Model designation and overall dimensions require confirmation. Obtain the installation drawing before construction.

Available sizes and custom options

Dimensions in mm. Square forms have equal sides; round forms use diameter × height.

Product / Style	Available dimensions	Dimension key
SXKT-001	1200–2400 × 260 × 230	L × W × H
SXRX-L-005	500–2400 × 250 × 240	L × W × H
SXRXS-FG-001	400–1100 × 300 × 115	L × W × H
RX Manual · Round	Ø300–1000 × 105	Diameter × H
RX Manual · Square	500–1000 × 500–1000 × 105	Equal sides, H 105


Titanium coating, powder coating and thicker panels are available. Discuss your size and finish.
Overall dimensions are not installation cutout dimensions. Confirm the installation drawing before building.

Manufacturing

Workshop and metalworking equipment from the factory photo library.



Production workshop




Laser cutting equipment



Press brake

Custom project enquiries

Discuss the required form and dimensions for your project.



SXRX-X-004

Curved style reference

Illustrative flame effect.

Form and dimensions

Share a sketch, length or diameter, and height.

Installation conditions

Describe the location, nearby materials and available space.

Finish and panel

Titanium coating, powder coating or thicker panels. State the controls required.

Delivery requirements

State quantities, destination and requested delivery date.

Distributor enquiries

Share your market, product shortlist and sample requirements.

01 **Market and sales channel**

Country, customer segment and sales channels.

02 **Product shortlist and samples**

Styles, sizes, quantities and showroom requirements.

03 **Commercial and delivery terms**

Quotation, MOQ, freight, lead time and packaging.

04 **Installation and after-sales**

Product documents, spare parts, training and responsibilities.

The parties confirm these terms for each enquiry. Market requirements and applicable product documents also need review.



AI concept visual. Surround and furnishings are not included.



SXFireplace
FIREPLACES & CUSTOM STAINLESS STEEL

Distributor enquiries

Send your preferred styles, sizes and quantities, plus your sales region.

Liang Zifeng

WeChat: lzf573890214

[WhatsApp: +86 189 1214 7853](https://www.whatsapp.com/chat?phone=8618912147853)

info@sxfireplace.store

sxfireplace.com